


Inward application of Ficom D.



8 M REACH

Art-Nr: AR8-PRO

Flexible Nozzle (35 cm)
25g Powder Chamber

AR 8 PRO TELESCOPIC DUSTING LANCE

Environmentally friendly.
No CO₂ cartridges required.



1L Stainless steel pressure tank

AR 8 PRO Contents of kit

Heavy duty carry case



Lance

5g Scoop

Powder Chamber

Flexible Nozzle

1L Stainless steel tank and trigger

Note: Fine 6 mm flexible nozzle supplied as an accessory.


Features

- Adjustable telescopic lance made from non-conductive material.
- The 1L stainless steel tank is effortlessly filled to 3 bar pressure before each use with a regular stirrup pump (approx. 9 pump actions = 3 bar). Tank max op 6 – 7 bar.
- Complies with Ficom D label and BPR legislation for treating wasp nests in roofs and eaves of houses when the product is applied from outside.

AR 3 PRO

Art-Nr: AR3-PRO

Telescopic dusting lance (3.15 m).



Product description

A shorter telescopic dusting lance with a working height of 3.15 m, designed for close range treatments and indoor use in attics.

The 1L stainless steel tank is effortlessly filled to 3 bar pressure before each use with a regular stirrup pump (approx. 9 pump actions = 3 bar). Tank max op 6 – 7 bar. Can also be filled using a battery powered vehicle tyre inflator pump.

No dust blockages can occur as dust does not enter the main tubing system.

Note: For customers who already own an AR 8 Pro, the shorter AR 3 Pro lance and protective carry tube can be purchased as an accessory (without having to purchase the whole AR 3 Pro kit). The AR 8 & AR 3 Pro both have the same 1L stainless steel tank, powder chamber and flexible nozzle.

To purchase an AR 3 Pro lance and protective carry tube please use the following article number.

Art-Nr: AR3-PRO-LO

AR 8 PRO Conversion kit

Conversion kit for AR 8 CO₂, XL 8 and T8 lances



Art-Nr: AR8-CONV

Product description

This kit contains all the parts required to convert an XL 8, a T8, or an AR 8 CO₂ lance into a fully working AR 8 Pro. The conversion takes under two minutes to complete and the converted lance can be stored inside the original carry case.

T8 S UNIVERSAL LIQUID SPRAY LANCE



Flat Fan



Adjustable Cone



Spraying wasp nests outdoors.

Art-Nr: T8S-UKIT



**Fully adjustable lance with working height up to 8 m.
Connects to Gloria, Birchmeier, B&G and more.**


Quick fit universal connector



1. Unscrew the nozzle nut and remove spray tip.



2. Slide the tubing through the nozzle nut.



3. Reattach nut onto sprayer.




Wood treatment.



Japanese Knotweed treatment.



Brown Tail moth larvae treatment.



20 cm Flexible tip allowing 360° angles.

Supplied with a 1.3 m heavy duty carry case.

Adjustable telescopic lance made from non-conductive material.

Internal tubing kit.

Features

- Allows precision application at height.
- Lance has a working height of 1.5 m to 8 m.
- Reduces the need for access equipment.
- Reduces the risk of injury from using ladders.
- A liquid conversion kit is available for T8 D / XL 8 lances (Art-Nr: T8S-ULCK).
- The T8 S lance includes a flat fan tip and adjustable cone nozzle.




AEROSOL 3

Precision aerosol lance

Telescopic lance for use with Digrain Wasps & Hornets Destroyer, Bayer Crawling Insect Killer spray and other similar aerosols.

Features

- Supplied with 1 x Flat Fan tip, 1 x Cone tip, plus 1 x Crack & Crevice nozzle kit.
- Connects to any common 4 mm aerosol male valve.
- Particularly useful in attics / lofts and other confined spaces.
- Reduces the need for walking boards in unfloored attics.
- Allows precision application of aerosol products.
- Enables crack & crevice treatments in hard to reach spots.
- Supplied with cleaning tool to flush tubing.



T8 D PRECISION DUSTING LANCE

Connects to a Birchmeier DR 5 compression duster.


Features

- Allows precision application at height.
- 20 cm flexible tip can easily be bent to any required shape.
- Adjustable telescopic lance made from non-conductive material.
- Complies with Ficam D label and BPR legislation for treating wasp nests in roofs and eaves of houses when the product is applied from outside.
- Lance has a working height of 1.5 m to 8 m.
- Reduces treatment time.
- Reduces the need for access equipment.
- Reduces the risk of injury from using ladders.
- 10 cm high visibility yellow sight tip.
- Comes supplied with a compact 1.3 m tough carry case.
- Dust Unblocking Tool available as an accessory.



Flexible Aerosol Straws

For Racumin® Foam



Also fits

other standard aerosols

*standard 4 mm male aerosol valves



For Crack & Crevice application.

Features

- Easily bent to required shape.
- 360° spraying capability.
- Robust and chemical resistant.
- Great for hard to reach spots.
- Also suitable for DE aerosols.
- Useful for lubricants.



Multi-pack contents

(a) 1 x 60 cm Straw

(b) 1 x 30 cm Straw

(c) 1 x Cleaning tool


(d) 2 x Standard 4mm actuator cap & connectors



Art-Nr: FS-KIT

AR PRO Bulb Duster

Unique design with separate powder chamber and bulb pump creating maximum performance.



Art-Nr: ARPB

Features



- Powder chamber is separate from the bulb pump for maximum performance.
- Easy to fill and empty.
- Easy to check powder level.
- 30 cm Flexible nozzle for reaching difficult spots.
- Push fit tip for fine work.
- Insulated for safe use in electric sockets.
- Packs into compact sealed carry tube (40 cm).
- Useful for bed bug treatments.
- In addition to insecticide dust, it is also great for applying DE powder.



Use biocides safely.

Always read the product label and instructions before use.

Lance Lab Ltd
Block C2, Strangford Park
Ards Business Centre, Jubilee Road
Newtownards
BT23 4YH, Northern Ireland, UK
Tel: +44 (0)28 9181 8313
Email: info@lancelab.com

UK & Ireland Distributors



Killgerm
Killgerm Chemicals Ltd
www.killgerm.com
Tel: 01924 268400



1env
Global Pest Control Products
1 Env Solutions Ltd
www.1env.co.uk
Tel: 01702 525202



EDIALUX
PROFESSIONAL PRODUCTS
Edialux
www.edialux.co.uk
Tel: 01268 596130



Agralan
Agralan Ltd
www.agralan.co.uk
Tel: 01285 860015